

# 鳴門庁舎における汲み上げ海水の水温と塩分

(平成29年4月1日～平成30年3月31日 観測時刻:午前10時)

空欄は連続観測機器の不調による欠測

日	平成29年4月		平成29年5月		平成29年6月		平成29年7月		平成29年8月		平成29年9月	
	水温	塩分	水温	塩分	水温	塩分	水温	塩分	水温	塩分	水温	塩分
1	10.5		14.3	31.7	18.8		22.4		25.7	31.6	27.4	31.0
2	10.6	31.9	14.7	31.7	19.4		22.6		25.5	31.6	27.3	30.8
3	11.0	32.0	14.7	31.8	19.4		22.6		26.1	31.6	27.1	31.2
4	11.4	32.0	15.0	31.8	19.7		22.2		26.0	31.5	27.0	31.2
5	11.3	32.0	15.1	32.0	19.9		22.5		25.7	31.1	26.6	29.9
6	11.4	32.0	15.3	32.0	19.5		23.1		25.7	30.4	26.2	31.5
7	11.6	31.9	15.4	32.0	19.1		23.1	31.9	25.7	29.5	26.4	31.5
8	11.9	32.0	15.9	32.0	18.9		23.4	31.9	25.4	29.8	25.8	31.6
9	12.1	32.0	16.0	31.9	19.5		23.2		25.9	30.4	25.8	31.6
10	11.9	32.1	16.1	31.9	19.7		23.1		26.0	30.4	26.0	31.6
旬平均	11.4	32.0	15.2	31.9	19.4		22.8	31.9	25.8	30.8	26.6	31.2
11	11.9	32.0	17.5	31.9	19.7		23.3		26.2	30.4	26.3	31.5
12	12.2	32.1	17.1	31.7	19.9		23.3		26.5	30.3	26.7	31.4
13	12.3	32.2	16.4	31.3	20.1		23.5		27.0	30.6	26.8	31.2
14	12.5	32.2	16.8	31.5	20.4		23.4		27.2		26.9	31.4
15	12.4	32.0	16.6	31.5	20.5		23.6		26.7	30.9	26.5	31.4
16	12.9	31.8	16.8	31.5	21.2		23.7		27.4	31.2	26.4	31.4
17	12.8	31.8	16.8		21.1		23.8		27.3	31.2	26.3	31.4
18	13.2	31.7	16.8		21.0		24.1		26.9	31.1	26.0	31.4
19	13.3	31.7	16.7		21.4		24.3	31.9	27.0	31.1	25.8	31.4
20	13.6	31.8	16.7		21.2		24.2	31.8	27.5	31.1	25.4	31.5
旬平均	12.7	31.9	16.8	31.5	20.7		23.7	31.8	27.0	30.9	26.3	31.4
21	13.6	31.7	16.7		20.5		24.5	31.8	27.1	31.2	25.5	31.4
22	13.8	31.7	16.8		20.9		24.4	31.7	27.2	31.1	25.1	31.4
23	13.6	31.8	18.1		21.0		24.4	31.6	27.2	31.0	25.1	31.3
24	14.1	31.8	17.6		21.1		24.4	31.6	27.3	31.0	25.1	31.2
25	14.2	31.9	17.7		21.0		24.4	31.5	27.5	31.1	25.1	31.2
26	14.1	31.8	17.7		21.0		24.5	31.5	27.6	30.9	25.3	30.9
27	14.4	31.9	17.8		21.7		24.6	31.6	28.0	30.9	25.3	31.1
28	14.4	31.9	18.1		21.5		24.7	31.7	27.7	31.1	25.2	31.0
29	14.3	31.9	18.3		21.9		24.9	31.7	27.9	31.0	25.0	30.8
30	14.4	31.7	18.3		21.9		24.9	31.7	28.0	31.0	25.0	30.8
31			18.0				24.9	31.7	27.5	31.1		
旬平均	14.1	31.8	17.7		21.3		24.6	31.6	27.6	31.0	25.2	31.1
月平均	12.7	31.9	16.6	31.8	20.4		23.7	31.7	26.8	30.9	26.0	31.2

日	平成29年10月		平成29年11月		平成29年12月		平成30年1月		平成30年2月		平成30年3月	
	水温	塩分	水温	塩分	水温	塩分	水温	塩分	水温	塩分	水温	塩分
1	25.1	30.8	20.4	30.0	16.3		11.9		8.8		8.9	
2	24.9	30.7	20.4	30.1	16.3		11.7		8.9		8.6	
3	24.9	30.7	20.6	30.4	16.5				8.8		8.7	
4	24.3	31.0	20.5	30.5	16.4		11.5		8.5		8.8	
5	23.8	31.3	20.2	30.7	15.9		11.4		8.1		9.3	
6	23.9	31.2	20.0	30.6	15.5		11.2		7.9		8.8	
7	23.8	31.3	20.0	30.6	15.4		10.9		8.0		8.6	
8	23.9	31.3	20.1	30.5	15.1		11.1		8.1		8.7	
9	23.9	31.3	19.8	30.4	14.6		11.1		8.2		8.8	
10	24.0	31.3	19.7	30.4	14.6		11.0	31.5	8.5		8.4	
旬平均	24.2	31.1	20.2	30.4	15.7		11.3	31.5	8.4		8.8	
11	24.2	31.1	19.7	30.3	14.5		10.8	31.6	8.3		8.6	
12	24.3	30.9	19.3	30.4	13.9		10.4	31.6	8.0		8.9	
13	24.0	31.0	19.2	30.4	13.5		10.3	31.6	8.1		9.0	
14	24.0	30.9	19.3	30.4	13.3		10.5	31.7	8.1			
15	23.8	31.2	19.1	30.5	13.6		10.4	31.7	8.3			
16	23.4	31.1	18.6	30.7	13.9		10.5	31.7	8.3			
17	23.1	31.1	18.7	30.9	13.3		10.7	31.5	8.3			
18	22.8	31.2	18.8	30.9	13.2		10.6	31.6	7.9			
19	22.5	31.2	18.4	31.1	13.2		10.6	31.6	8.0			
20	22.5	31.2	17.9	30.8	12.9		10.5	31.6	7.9			
旬平均	23.5	31.1	18.9	30.6	13.5		10.5	31.6	8.1		8.8	
21	22.4	31.3	17.7	31.0	12.8		10.4	31.6	7.8		9.5	
22	22.2	30.8	17.5	30.9	12.7		10.2	31.6	7.8		9.5	
23	21.4	30.0	17.5	31.0	12.5		10.0	31.5	7.9		9.5	
24	21.4	30.0	16.7	30.9	12.4		9.5	31.6	7.9		9.7	
25	21.2	30.7	16.6	30.7	12.0		9.2		8.0		10.0	
26	21.1	30.3	16.4	30.8	11.5		9.2		8.1		10.1	
27	21.4	30.3	16.7	30.7	11.1		8.9		8.4		10.4	
28	21.5	30.5	16.5	30.6	11.8		9.0		8.6		11.0	
29	21.4	30.5	16.8	30.6	11.8		9.1				11.0	
30	20.7	28.8	16.6		11.6		8.9				11.0	
31	20.1	29.7			11.9		8.9				11.2	
旬平均	21.3	30.3	16.9	30.8	12.0		9.4	31.6	8.1		10.3	
月平均	23.0		18.7		13.7		10.3	31.6	8.2		9.5	